Index

?

primititves for binary file format (.sab), 3-9
primitives for text file format (.sat), 3-8

Symbols

(Save–Format–Template), **4-2–4-3**

{, 3-9

}, 3-9

#, 3-9

#define, constant definitions and #define, 7-1

$, 3-9

$sfpointer, 3-10

–, 3-9

Numbers

1
CONE (1) class, 4-37
ELLIPSE (1) class, 4-53
INTCURVE (1) class, 4-67
PCURVE (1) class, 4-88
PLANE (1) class, 4-96
SPHERE (1) class, 4-112
SPLINE (1) class, 4-114
STRAIGHT (1) class, 4-122
STRIPC (1) class, 4-124
TORUS (1) class, 4-136
UNDEFC (1) class, 4-141

1d, **4-3**

2
compcurv (2) class, 4-36
cone (2) class, 4-37
curve (2) class, 4-44
ellipse (2) class, 4-53
intcurve (2) class, 4-67
pcurve (2) class, 4-88
plane (2) class, 4-96
sphere (2) class, 4-113
spline (2) class, 4-115
straight (2) class, 4-122
stripc (2) class, 4-124
surface (2) class, 4-129
torus (2) class, 4-136
undefc (2) class, 4-142

2acis, ds_2acis, 4-49

2d, **4-3–4-4**

3d toolkit, **1-9**

3DT, 1-6

A

acis kernel, **1-7–1-8**

ACIS_CAMERA, 4-27

action
merge_action, 5-8
split_action, 5-9
trans_action, 5-10

adjedge, **4-4**

adjface, **4-4**

adjust, AF_ADJUST_MODE, 5-1

adv, ATTRIB_ADV_VAR_BLEND, 4-6

ADV_BL_VERSION, 7-5

af
AF_ADJUST_MODE, 5-1
AF_GRID_MODE, 5-1
af_node_mapping, 4-4
AF_SURF_MODE, 5-2
AF_TRIANG_MODE, 5-2

AF_ADJUST_MODE, **5-1**

AF_GRID_MODE, **5-1–5-2**

af_node_mapping, 4-4, **4-4–4-5**

AF_SURF_MODE, **5-2**

AF_TRIANG_MODE, **5-2–5-3**

agc, **4-5**

ANG_XCUR_VERSION, 7-5

APOINT, 4-97

architectural overview, **1-6–1-7**

architecture, 1-6

att
cface_col_att, 4-31
cface_vol_att, 4-31
lop_curve_ext_att, 4-73
lop_edge_att, 4-73
lop_surface_ext_att, 4-74
lop_vert_att, 4-75

ATT_BL_CR, 4-20

ATT_BL_ENT, 4-21

ATT_BL_ENT_ENT, 4-21

ATT_BL_INST, 4-21

ATT_BL_TAN_ED, 4-22

ATT_BL_VR, 4-22

attr
lop_loop_attr, 4-74
sti_elat_attr, 4-119
sti_nor_attr, 4-120
sti_prof_attr, 4-120
sti_psplit_attr, 4-120
sti_rel_attr, 4-120
sti_sect_attr, 4-121
sti_vlat_attr, 4-121

ATTRIB, 4-64

attrib, **4-5**
ATTRIB_ADV_VAR_BLEND, 4-6
attrib_fhl, 4-6
attrib_fhl_slist, 4-9
attrib_fhlgeom, 4-7
attrib_fhlhead, 4-7
attrib_fhlmark, 4-8
attrib_fhlplist, 4-8
ATTRIB_NODE, 4-9
ATTRIB_PHL, 4-10
attrib_var_blend, 4-10
entity_attrib, 4-55
integer_attrib, 4-71
name_attrib, 4-77
pointer_attrib, 4-98
position_attrib, 4-98
real_attrib, 4-101
string_attrib, 4-123
vector_attrib, 4-147

ATTRIB , 4-5

ATTRIB_ADV_VAR_BLEND, **4-6**, 4-6

ATTRIB_BLEND, 4-20

ATTRIB_CELL, 4-29

ATTRIB_CFACE_VOL, 4-31

ATTRIB_CHAMFER, 4-31

ATTRIB_COINVERT, 4-33

ATTRIB_COL, 4-33

ATTRIB_CONST_CHAMFER, 4-40

ATTRIB_CONST_ROUND, 4-41

ATTRIB_CRV_CSTRN, 4-41

ATTRIB_CRV_LOAD, 4-42

ATTRIB_CT, 4-44

ATTRIB_CURSURF, 4-43

ATTRIB_DISPOSE, 4-48

ATTRIB_DIST_PRESS, 4-48

ATTRIB_DS_SPRING, 4-118

ATTRIB_DS2ACIS, 4-49
ATTRIB_DSCSTRN, 4-50
ATTRIB_DSMODEL, 4-50
ATTRIB_EFINT, 4-52
ATTRIB_EYE, 4-58
ATTRIB_EYE_ATTACHED_MESH, 4-63
ATTRIB_EYE_FCTD_MARK, 4-61
ATTRIB_EYE_POINTLIST_HEADER, 4-100
ATTRIB_EYE_REF_VT, 4-103
ATTRIB_FACECFACE, 4-30
ATTRIB_FFBLEND, 4-62
ATTRIB_FHL, 4-6
attrib_fhl, **4-6**
ATTRIB_FHL_GEOM, 4-7
ATTRIB_FHL_HEAD, 4-7
ATTRIB_FHL_PLIST, 4-8
ATTRIB_FHL_SLIST, 4-9
attrib_fhl_slist, **4-9**
attrib_fhlgeom, **4-7**
attrib_fhlhead, **4-7–4-8**
attrib_fhlmark, **4-8**
attrib_fhlplist, **4-8–4-9**
ATTRIB_GEN_ENTITY, 4-55
ATTRIB_GEN_INTEGER, 4-71
ATTRIB_GEN_NAME, 4-77
ATTRIB_GEN_POINTER, 4-98
ATTRIB_GEN_POSITION, 4-98
ATTRIB_GEN_REAL, 4-101
ATTRIB_GEN_STRING, 4-123
ATTRIB_GEN_VECTOR, 4-147
ATTRIB_GENERIC, 4-63
ATTRIB_GROUP, 4-64
ATTRIB_HISTORY, 4-64
ATTRIB_INT, 4-65
ATTRIB_INTCOED, 4-66
ATTRIB_LINK, 4-72
ATTRIB_MESH, 4-76
ATTRIB_NODE, 4-9, **4-9–4-10**
ATTRIB_OFFREL, 4-82
ATTRIB_PHL, **4-10**
ATTRIB_PHL_VW, 4-93
ATTRIB_PID, 4-94
ATTRIB_PT_CSTRN, 4-99
ATTRIB_PT_PRESS, 4-100
ATTRIB_RGB, 4-102
ATTRIB_ROUND, 4-106
ATTRIB_SPLIT, 4-117
ATTRIB_SPRING_SET, 4-118
ATTRIB_STI_ELAT_ATTR, 4-119
ATTRIB_STI_NOR_ATTR, 4-120
ATTRIB_STI_PROF_ATTR, 4-120
ATTRIB_STI_VLAT_ATTR, 4-121
ATTRIB_SURFBACK, 4-19
ATTRIB_SYS, 4-133
ATTRIB_TSL, 4-140
ATTRIB_VAR_BLEND, 4-6, 4-10
attrib_var_blend, **4-10–4-11**
ATTRIB_VBLEND, 4-146
ATTRIB_VERTEDGE, 4-147
ATTRIB_VOL_COL, 4-31
attribute
  display_attribute, 4-48
  id_attribute, 4-65
  instruction, 4-22
  named_attribute, 4-78
  named_int_attribute, 4-80
  named_logical_attribute, 4-78

named_pos_attribute, 4-78
named_real_attribute, 4-79
named_string_attribute, 4-79
named_vec_attribute, 4-79
norender_attribute, 4-81

attributes, **1-5–1-9**

audience, **1-1**

B

B–rep, boundary representation, 1-4

background, rh_background, 4-103

bdy
BDY_GEOM, 4-12
BDY_GEOM_CIRCLE, 4-12
BDY_GEOM_DEG, 4-13
BDY_GEOM_PCURVE, 4-13
BDY_GEOM_PLANE, 4-14

BDY_GEOM, **4-12**

BDY_GEOM_CIRCLE, 4-12, **4-12–4-13**

BDY_GEOM_DEG, **4-13**, 4-13

BDY_GEOM_PCURVE, **4-13**, 4-13

BDY_GEOM_PLANE, **4-14**, 4-14

begin, marker for begin history data, 3-3

binary, primititves for binary file format (.sab), 3-9

bk, **4-19**

bl
bl_continuity, 5-3
bl_convexity, 5-4
bl_cr, 4-20
bl_cvxty_ents, 5-4
bl_ed_convexity, 5-4
bl_ent, 4-21
bl_ent_ent, 4-21
bl_inst, 4-21
bl_support, 4-14
bl_taned, 4-22
bl_vr, 4-22

bl_continuity, **5-3**

bl_convexity, **5-4**

bl_cr, **4-20**

bl_cvxty_ents, **5-4**

bl_ed_convexity, **5-4–5-5**

bl_ent, **4-21**

bl_ent_ent, **4-21**

bl_inst, **4-21–4-22**

bl_support, **4-14**

bl_taned, **4-22**

bl_vr, **4-22**

bldcur, **4-14–4-16**

blend, **4-20**
ATTRIB_ADV_VAR_BLEND, 4-6
attrib_var_blend, 4-10
blend_how, 5-3
blend_spl_sur, 4-16
blend_support, 4-19
edge sequence–following, 4-6
entity-entity, 4-21

blend_how, **5-3**

blend_spl_sur, **4-16**

blend_support, **4-19–4-20**

BLEND_VERSION, 7-3

blendsupcos, **4-17**

blendsupcur, **4-17**

blendsuppnt, **4-17**

blendsupsur, **4-18**

blendsupzro, **4-18**

blinfo, **4-18–4-19**

blndsprngcur, **4-19**

BNDCUR_VERSION, 7-4

BNDSUR_VERSION, 7-4

board, bulletin_board, 4-24

body, **4-23–4-24**
face_body_rel, 5-6

face_body_rel_ents, 5-7

BODY , 4-23

boolean, 3-8

both, 4-27

boundary representation, 1-4

bounded, bounded_curve, 4-24

bounded_curve, **4-24**

bs2, bs2_curve_def, 4-25

bs2_curve_def, **4-25**

bs2_curve_def , 4-25

bs3
- bs3_curve_def, 4-26
- bs3_surface_def, 4-26

bs3_curve_def, **4-26**, 4-26

bs3_surf_def, 4-26

bs3_surface_def, **4-26–4-27**

bulletin, **4-24**
- bulletin_board, 4-24

BULLETIN , 4-24

BULLETIN_BOARD, 4-24

bulletin_board, **4-24–4-25**

C

camera, **4-27–4-28**
- phl_camera, 4-91

CELL, 4-28

cell, **4-28**
- cell_ptr, 4-29

cell_ptr, **4-29–4-30**

CELL2D, 4-29

cell2d, **4-29**

CELL3D, 4-29

cell3d, **4-29**

cface, **4-30**
- cface_col_att, 4-31
- cface_ptr, 4-30
- cface_vol_att, 4-31

CFACE , 4-30

cface_col_att, **4-31**

cface_ptr, **4-30**

cface_vol_att, **4-31**

chamfer, **4-31–4-32**
- const_chamfer, 4-40

char, 3-8, 3-9

circle, BDY_GEOM_CIRCLE, 4-12

class
- compcurv (2) class, 4-36
- CONE (1) class, 4-37
- cone (2) class, 4-37
- curve (2) class, 4-44
- ELLIPSE (1) class, 4-53
- ellipse (2) class, 4-53
- INTCURVE (1) class, 4-67
- intcurve (2) class, 4-67
- PCURVE (1) class, 4-88
- pcurve (2) class, 4-88
- PLANE (1) class, 4-96
- plane (2) class, 4-96
- SPHERE (1) class, 4-112
- sphere (2) class, 4-113
- SPLINE (1) class, 4-114
- spline (2) class, 4-115
- STRAIGHT (1) class, 4-122
- straight (2) class, 4-122
- STRIPC (1) class, 4-124
- stripc (2) class, 4-124
- surface (2) class, 4-129
- TORUS (1) class, 4-136
- torus (2) class, 4-136
- UNDEFC (1) class, 4-141
- undefc (2) class, 4-142

class format, **4-1**

class names, **1-3**

classes, save identifiers and classes, 4-1

closed, 4-25, 4-26, 4-27

coedge, **4-32–4-33**
lop_coedge, 4-73

COEDGE , 4-32

coinvert, **4-33**

col, cface_col_att, 4-31

color, **5-5**
rgb_color, 4-102

colour, **4-33–4-34**

com, com_cur, 4-34

com_cur, **4-34–4-35**

comment, **4-34**

comment_attr_c, 4-34

compcurv, **4-35–4-36**

COMPCURV , 4-35, 4-36

compcurv (2) class, **4-36**

component, 1-6

compound, primitive compound types, 3-7

compound types
boolean, 3-8
integer, 3-7
interval, 3-8
matrix, 3-8
real, 3-7
transform, 3-8

cone, **4-36–4-37**, 4-37, 4-130

CONE , 4-37

CONE (1) class, **4-37**

cone (2) class, **4-37–4-40**

CONSISTENT_VERSION, 7-5

const
const_chamfer, 4-40
const_round, 4-41

const_chamfer, **4-40–4-41**

const_round, **4-41**

constant definitions and #define, **7-1–7-5**

continuity, bl_continuity, 5-3

control, **3-7**

conventions, documentation conventions, 1-2

convexity
bl_convexity, 5-4
bl_ed_convexity, 5-4

cr, bl_cr, 4-20

cross
cross_section_forms, 5-6
var_cross_section, 4-144

cross_section_forms, **5-6**

crv
crv_cstrn, 4-41
crv_load, 4-42

crv_cstrn, **4-41–4-42**

crv_load, **4-42**

crvcrvblndsur, **4-41**

crvsrfblndsur, **4-42–4-43**

cs, **4-43**

cshell, **4-43–4-44**

CSHELL , 4-43

cstrn
crv_cstrn, 4-41
ds_cstrn, 4-50
pt_cstrn, 4-99

ct, **4-44**

cur
com_cur, 4-34
d5c2_cur, 4-45
int_cur, 4-69

curve, **4-44**
bounded_curve, 4-24
bs2_curve_def, 4-25
bs3_curve_def, 4-26
CURVE_EXTENSION_TYPE, 5-6
lop_curve_ext_att, 4-73

CURVE , 4-44

curve , 4-44

curve (2) class, **4-44–4-45**

curve type, **4-45**

CURVE_EXTENSION_TYPE, **5-6**

CURVE_VERSION, 7-2

cvxty, bl_cvxty_ents, 5-4

D

d5c2, d5c2_cur, 4-45

d5c2_cur, **4-45–4-46**

data
- entity data, 3-7
- marker for begin history data, 3-3
- marker for end history data, 3-4

data elements, **3-7–3-10**
- char, 3-8
- control, 3-7
- double, 3-8
- float, 3-8
- header, 3-9
- logical, 3-8
- long, 3-8
- position, 3-8
- primititves for binary file format (.sab), 3-9
- primitive compound types, 3-7
- primitives for text file format (.sat), 3-8
- sequence, 3-9
- short, 3-8
- string, 3-8
- subident, 3-8
- subtype_end, 3-9
- subtype_start, 3-9
- terminator, 3-9
- vector, 3-8

def
- bs2_curve_def, 4-25
- bs3_curve_def, 4-26
- bs3_surface_def, 4-26

definitions, constant definitions and #define, 7-1

deg, BDY_GEOM_DEG, 4-13

delta, delta_state, 4-46

DELTA_STATE, 4-46

delta_state, **4-46–4-47**

description of save file format, **3-1–3-10**
- data elements, 3-7
- structure of entity records, 3-4
- structure of save file, 3-1
- subtypes and references, 3-10

dict, dict_entry, 4-47

DICT_ENTRY, 4-47

dict_entry, **4-47**

display, display_attribute, 4-48

DISPLAY_ATTRIB, 4-48

display_attribute, **4-48**

dispose, **4-48**

dist, dist_press, 4-48

dist_press, **4-48–4-49**

documentation conventions, **1-2–1-3**
- class names, 1-3
- fonts and typefaces, 1-2
- reference templates, 1-3

DOLLAR_VERSION, 7-2

double, 3-8, 3-9, 4-60

ds
- ds_2acis, 4-49
- ds_cstrn, 4-50
- ds_load, 4-50
- ds_model, 4-50

ds_2acis, **4-49**

ds_cstrn, **4-50**

ds_load, **4-50**

ds_model, **4-50–4-51**

E

ecoin, **4-51**

ed, bl_ed_convexity, 5-4

edge, **4-51–4-52**
lop_edge, 4-73
lop_edge_att, 4-73
phl_edge, 4-92

EDGE , 4-51

edge sequence–following blend, 4-6

efint, **4-52**

elat, sti_elat_attr, 4-119

ELEM, 4-52

elem, **4-52**

ELEM1D, 4-3

elements, data elements, 3-7

ELLIPSE, 4-53

ellipse, 4-45, **4-52–4-53**, 4-53
var_rad_rot_ellipse, 4-146

ELLIPSE (1) class, **4-53**

ellipse (2) class, **4-53–4-55**

embedded husk, 1-6

embedded husks, **1-8**

encapsulation, entity encapsulation in a record, 3-5

end, marker for end history data, 3-4

end marker, **3-4**

ends, var_rad_two_ends, 4-146

ent
bl_ent, 4-21
bl_ent_ent, 4-21
text_ent, 4-135

entities, **1-5**

ENTITY, **4-55**

entity
entity_attrib, 4-55
ENTITY_PHL, 4-56
rh_entity, 4-103
structure of entity records, 3-4

entity data, **3-7**

entity encapsulation in a record, **3-5–3-6**

entity record, **3-3**

entity-entity blend, 4-21

entity_attrib, **4-55–4-56**

entry, dict_entry, 4-47

ents
bl_cvxty_ents, 5-4
face_body_rel_ents, 5-7
rad_form_ents, 5-8
sec_form_ents, 5-9
transition_ents, 5-10

enumeration, 3-9

enumerations, **5-1–5-11**
AF_ADJUST_MODE, 5-1
AF_GRID_MODE, 5-1
AF_SURF_MODE, 5-2
AF_TRIANG_MODE, 5-2
bl_continuity, 5-3
bl_convexity, 5-4
bl_cvxty_ents, 5-4
bl_ed_convexity, 5-4
blend_how, 5-3
color, 5-5
cross_section_forms, 5-6
CURVE_EXTENSION_TYPE, 5-6
face_body_rel, 5-6
face_body_rel_ents, 5-7
merge_action, 5-8
rad_form_ents, 5-8
sec_form_ents, 5-9
split_action, 5-9
token_name, 5-9
trans_action, 5-10
transition_ents, 5-10
underlying_sf_type, 5-11

env, rh_env_map, 4-104

exactcur, **4-56**

exactsur, **4-56–4-57**

example
save file example, 6-1
subtypes and references example, 6-5

examples, **6-1–6-8**
save file example, 6-1
subtypes and references example, 6-5

expblend, **4-57**

exppc, **4-57**

ext
lop_curve_ext_att, 4-73
lop_surface_ext_att, 4-74

extension, CURVE_EXTENSION_TYPE, 5-6

eye, **4-58**
eye_refinement, 4-58

eye_refinement, **4-58–4-59**

F

F, 3-8

FACE, 4-60

face, **4-60**
face_body_rel, 5-6
face_body_rel_ents, 5-7

face_body_rel, **5-6–5-7**

face_body_rel_ents, **5-7**

faceint, **4-61**

fctd, fctd_mark, 4-61

fctd_mark, **4-61**

ffblend, **4-62**

fhl
attrib_fhl, 4-6
attrib_fhl_slist, 4-9

fhlgeom, attrib_fhlgeom, 4-7

fhlhead, attrib_fhlhead, 4-7

fhlmark, attrib_fhlmark, 4-8

fhlplist, attrib_fhlplist, 4-8

file
description of save file format, 3-1
primititves for binary file format (.sab), 3-9
primitives for text file format (.sat), 3-8
save file example, 6-1
save file types, 2-1
structure of save file, 3-1
understanding the save file, 2-1
using the save file for other purposes, 2-1

FILEINFO_VERSION, 7-5

FILEINTERFACE_VERSION, 7-4

finding information, **1-4**

fixed, var_rad_fixed_width, 4-145

float, 3-8, 3-9

fmesh, **4-63**

fonts and typefaces, **1-2**

foreground, rh_foreground, 4-104

form
rad_form_ents, 5-8
sec_form_ents, 5-9

format
(Save–Format–Template), 4-2
class format, 4-1
description of save file format, 3-1
primititves for binary file format (.sab), 3-9
primitives for text file format (.sat), 3-8
subtype format, 4-1

forms, cross_section_forms, 5-6

forward, 4-60

functional, var_rad_functional, 4-145

G

gen, **4-63**

geom
BDY_GEOM, 4-12
BDY_GEOM_CIRCLE, 4-12
BDY_GEOM_DEG, 4-13
BDY_GEOM_PCURVE, 4-13
BDY_GEOM_PLANE, 4-14

geometry, **1-5**

grid, AF_GRID_MODE, 5-1

group, **4-63**
  group_ptr, 4-64

GROUP , 4-63

group_ptr, **4-64**

H

header, **3-2–3-3**, 3-9, 3-10

high, 4-27

history, 3-2, **4-64**
  history_stream, 4-64
  marker for begin history data, 3-3
  marker for end history data, 3-4

history_stream, **4-64–4-65**

HISTORY_VERSION, 7-4

husk, 1-6

husk, embedded, 1-6

husk, internal, 1-6

husk, optional, 1-6

husks, embedded husks, 1-8

I

I, 3-8

id, id_attribute, 4-65

ID_ATTRIB, 4-65

id_attribute, **4-65**

ident, 3-9

identifier, save identifier, 3-6

identifiers, save identifiers and classes, 4-1

IGRSPLINE_VERSION, 7-5

imppc, **4-65**

in, 4-60, 4-150

INFINT_VERSION, 7-4

information, finding information, 1-4

inst, bl_inst, 4-21

int, **4-65–4-66**
  int_cur, 4-69
  named_int_attribute, 4-80

int_cur, **4-69–4-70**

intcoed, **4-66**

INTCURVE, 4-67

intcurve, 4-45, **4-66–4-67**, 4-67

INTCURVE (1) class, **4-67**

intcurve (2) class, **4-67–4-69**

INTCURVE_VERSION, 7-2

intedge, **4-70**

integer, 3-7
  integer_attrib, 4-71

integer_attrib, **4-71**

internal husk, 1-6

interval, 3-8

intgraph, **4-71**

introduction, **1-1–1-9**
  3d toolkit, 1-9
  acis kernel, 1-7
  architectural overview, 1-6
  audience, 1-1
  documentation conventions, 1-2
  embedded husks, 1-8
  finding information, 1-4
  modeling overview, 1-4
  organization, 1-1

intvert, **4-71–4-72**

K

kernel, 1-6
  acis kernel, 1-7

L

light, rh_light, 4-104

link, **4-72**

load
  crv_load, 4-42
  ds_load, 4-50
  spring_load, 4-118
  spring_set_load, 4-118

logical, 3-8, 3-9
  named_logical_attribute, 4-78

LOGIO_VERSION, 7-3

long, 3-8, 3-9

LOOP, 4-72

loop, **4-72**
  lop_loop_attr, 4-74

lop
  lop_coedge, 4-73
  lop_curve_ext_att, 4-73
  lop_edge, 4-73
  lop_edge_att, 4-73
  lop_loop_attr, 4-74
  lop_surface_ext_att, 4-74
  lop_vert_att, 4-75
  lop_vertex, 4-74

lop_coedge, **4-73**

lop_curve_ext_att, **4-73**

lop_edge, **4-73**

lop_edge_att, **4-73–4-74**

lop_loop_attr, **4-74**

lop_surface_ext_att, **4-74**

lop_vert_att, **4-75**

lop_vertex, **4-74–4-75**

low, 4-27

LUMP, 4-75

lump, **4-75**

LUMP_VERSION, 7-2

M

map, rh_env_map, 4-104

mapping, af_node_mapping, 4-4

mark, fctd_mark, 4-61

marker, end marker, 3-4

marker for begin history data, **3-3**

marker for end history data, **3-4**

material, rh_material, 4-105

matrix, 3-8

merge, merge_action, 5-8

merge_action, **5-8**

MESH_VERSION, 7-5

MESHSURF, 4-75

meshsurf, **4-75–4-76**

mode
  AF_ADJUST_MODE, 5-1
  AF_GRID_MODE, 5-1
  AF_SURF_MODE, 5-2
  AF_TRIANG_MODE, 5-2

model, ds_model, 4-50

modeling functionality, 1-4

modeling overview, **1-4–1-5**
  attributes, 1-5
  entities, 1-5
  geometry, 1-5
  topology, 1-5

ms, **4-76**

msh, msh_sur, 4-77

msh_sur, **4-77**

MULTSAV_VERSION, 7-4

N

name
  name_attrib, 4-77
  pid_name, 4-94

token_name, 5-9

name_attrib, **4-77–4-78**

named
named_attribute, 4-78
named_int_attribute, 4-80
named_logical_attribute, 4-78
named_pos_attribute, 4-78
named_real_attribute, 4-79
named_string_attribute, 4-79
named_vec_attribute, 4-79

NAMED_ATTRIB, 4-78

named_attribute, **4-78**

NAMED_INT_ATTRIB, 4-80

named_int_attribute, **4-80**

\NAMED_LOGICAL_ATTRIB, 4-78

named_logical_attribute, **4-78**

NAMED_POS_ATTRIB, 4-78

named_pos_attribute, **4-78–4-79**

NAMED_REAL_ATTRIB, 4-79

named_real_attribute, **4-79**

NAMED_STRING_ATTRIB, 4-79

named_string_attribute, **4-79**

NAMED_VEC_ATTRIB, 4-79

named_vec_attribute, **4-79–4-80**

names, class names, 1-3

NODE, 4-80, **4-80–4-81**

node, **4-80**
af_node_mapping, 4-4
ATTRIB_NODE, 4-9

none, 4-27

nor, sti_nor_attr, 4-120

norender, norender_attribute, 4-81

NORENDER_ATTRIB, 4-81

norender_attribute, **4-81**

nubs, 4-25, 4-26, 4-27

null_curve, 4-45

null_pcurve, 4-90

null_surface, 4-130

nullbs, 4-25, 4-26, 4-27

number, optional sequence number, 3-4

nurbs, 4-25, 4-26, 4-27

O

object, subtype_object, 4-128

offintcur, **4-81**

offrel, **4-82**

offsetintcur, **4-82–4-83**

offsetvbsur, **4-83–4-84**

offsur, **4-84**

open, 4-25, 4-26, 4-27

optional husk, 1-6

optional sequence number, **3-4–3-5**

organization, **1-1–1-2**

other, using the save file for other purposes, 2-1

out, 4-60, 4-150

overview
architectural overview, 1-6
modeling overview, 1-4

P

p1, **4-85**

P1NODE, 4-85

p2, **4-85**

P2NODE, 4-85

parasil, **4-85–4-86**

parcur, **4-86–4-87**

PARCUR_VERSION, 7-3

pcurcur, **4-87**

PCURVE, 4-88

pcurve, **4-87**, 4-88, 4-90
  BDY_GEOM_PCURVE, 4-13

PCURVE (1) class, **4-88**

pcurve (2) class, **4-88–4-90**

pcurve type, **4-90–4-91**

PCURVE_VERSION, 7-3

periodic, 4-25, 4-26, 4-27

perspsil, **4-91**

phl, **4-91**
  ATTRIB_PHL, 4-10
  ENTITY_PHL, 4-56
  phl_camera, 4-91
  phl_edge, 4-92
  phl_segment, 4-92
  phl_vw, 4-93

PHL_CAMERA, 4-10, 4-91

ENTITY_PHL, **4-56**, 4-56

phl_camera, **4-91–4-92**

PHL_EDGE, 4-92

phl_edge, **4-92**

PHL_SEGMENT, 4-92

phl_segment, **4-92–4-93**

phl_vw, **4-93**

pid, pid_name, 4-94

pid_name, **4-94**

pipesur, **4-94–4-95**

PLANE, 4-96

plane, **4-95**, 4-130
  BDY_GEOM_PLANE, 4-14

PLANE (1) class, **4-96**

plane (2) class, **4-96–4-97**

point, **4-97**

pointer, pointer_attrib, 4-98

pointer_attrib, **4-98**

pos, named_pos_attribute, 4-78

position, 3-8, 3-9
  position_attrib, 4-98

position_attrib, **4-98**

press
  dist_press, 4-48
  pt_press, 4-100

primititves for binary file format (.sab), **3-9–3-10**

primitive compound types, **3-7–3-8**

primitives for text file format (.sat), **3-8–3-9**

product, 1-6

prof, sti_prof_attr, 4-120

projcur, **4-98–4-99**

psplit, sti_psplit_attr, 4-120

pt
  pt_cstrn, 4-99
  pt_press, 4-100

pt_cstrn, **4-99**

pt_press, **4-100**

ptlist, **4-100**

ptr
  cell_ptr, 4-29
  cface_ptr, 4-30
  group_ptr, 4-64

purposes, using the save file for other purposes, 2-1

R

rad
  rad_form_ents, 5-8
  var_rad_fixed_width, 4-145
  var_rad_functional, 4-145
  var_rad_rot_ellipse, 4-146
  var_rad_two_ends, 4-146

rad_form_ents, **5-8**

radius, var_radius, 4-145

rbase, **4-100–4-101**

rbblnsur, **4-101**

real, 3-7
  named_real_attribute, 4-79
  real_attrib, 4-101

real_attrib, **4-101**

record
  entity encapsulation in a record, 3-5
  entity record, 3-3

records, structure of entity records, 3-4

ref, **4-102–4-103**
  ref_vt, 4-103

ref_vt, **4-103**

reference templates, **1-3–1-5**

references
  subtypes and references, 3-10
  subtypes and references example, 6-5

REFINEMENT, 4-58

refinement, eye_refinement, 4-58

rel
  face_body_rel, 5-6
  face_body_rel_ents, 5-7
  sti_rel_attr, 4-120

render, **4-101–4-102**

resabs, 3-3

resnor, 3-3

reversed, 4-60

rgb, rgb_color, 4-102

rgb_color, **4-102**

rh
  rh_background, 4-103
  rh_entity, 4-103
  rh_env_map, 4-104
  rh_foreground, 4-104
  rh_light, 4-104
  rh_material, 4-105
  rh_texture_space, 4-106

rh_background, **4-103**

rh_entity, **4-103–4-104**

rh_env_map, **4-104**

rh_foreground, **4-104**

rh_light, **4-104–4-105**

rh_material, **4-105**

rh_texture_space, **4-106**

rot, var_rad_rot_ellipse, 4-146

rotsur, **4-106–4-107**

round, **4-106**
  const_round, 4-41

S

sab, primititves for binary file format (.sab), 3-9

SAFERANGE_VERSION, 7-5

sans serif, *1-2*

sans serif bold, *1-2*

sat, primitives for text file format (.sat), 3-8

save
  (Save–Format–Template), 4-2
  description of save file format, 3-1
  structure of save file, 3-1
  understanding the save file, 2-1
  using the save file for other purposes, 2-1

save file example, **6-1–6-4**

save file types, **2-1–2-2**

save identifier, **3-6**

save identifiers and classes, **4-1–4-151**
  (Save–Format–Template), 4-2
  1d, 4-3
  2d, 4-3
  adjedge, 4-4
  adjface, 4-4
  af_node_mapping, 4-4
  agc, 4-5
  attrib, 4-5
  ATTRIB_ADV_VAR_BLEND, 4-6
  attrib_fhl, 4-6

attrib_fhl_slist, 4-9
attrib_fhlgeom, 4-7
attrib_fhlhead, 4-7
attrib_fhlmark, 4-8
attrib_fhlplist, 4-8
ATTRIB_NODE, 4-9
ATTRIB_PHL, 4-10
attrib_var_blend, 4-10
BDY_GEOM, 4-12
BDY_GEOM_CIRCLE, 4-12
BDY_GEOM_DEG, 4-13
BDY_GEOM_PCURVE, 4-13
BDY_GEOM_PLANE, 4-14
bk, 4-19
bl_cr, 4-20
bl_ent, 4-21
bl_ent_ent, 4-21
bl_inst, 4-21
bl_support, 4-14
bl_taned, 4-22
bl_vr, 4-22
bldcur, 4-14
blend, 4-20
blend_spl_sur, 4-16
blend_support, 4-19
blendsupcos, 4-17
blendsupcur, 4-17
blendsuppnt, 4-17
blendsupsur, 4-18
blendsupzro, 4-18
blinfo, 4-18
blndsprngcur, 4-19
body, 4-23
bounded_curve, 4-24
bs2_curve_def, 4-25
bs3_curve_def, 4-26
bs3_surface_def, 4-26
bulletin, 4-24
bulletin_board, 4-24
camera, 4-27
cell, 4-28
cell_ptr, 4-29
cell2d, 4-29
cell3d, 4-29
cface, 4-30
cface_col_att, 4-31
cface_ptr, 4-30
cface_vol_att, 4-31
chamfer, 4-31
class format, 4-1
coedge, 4-32
coinvert, 4-33
colour, 4-33
com_cur, 4-34
comment, 4-34
compcurv, 4-35
compcurv (2) class, 4-36
cone, 4-36
CONE (1) class, 4-37
cone (2) class, 4-37
const_chamfer, 4-40
const_round, 4-41
crv_cstrn, 4-41
crv_load, 4-42
crvcrvblndsur, 4-41
crvsrfblndsur, 4-42
cs, 4-43
cshell, 4-43
ct, 4-44
curve, 4-44
curve (2) class, 4-44
curve type, 4-45
d5c2_cur, 4-45
delta_state, 4-46
dict_entry, 4-47
display_attribute, 4-48
dispose, 4-48
dist_press, 4-48
ds_2acis, 4-49
ds_cstrn, 4-50
ds_load, 4-50
ds_model, 4-50
ecoin, 4-51
edge, 4-51
efint, 4-52
elem, 4-52
ellipse, 4-52
ELLIPSE (1) class, 4-53
ellipse (2) class, 4-53
ENTITY, 4-55
entity_attrib, 4-55

ENTITY_PHL, 4-56
exactcur, 4-56
exactsur, 4-56
expblend, 4-57
exppc, 4-57
eye, 4-58
eye_refinement, 4-58
face, 4-60
faceint, 4-61
fctd_mark, 4-61
ffblend, 4-62
fmesh, 4-63
gen, 4-63
group, 4-63
group_ptr, 4-64
history, 4-64
history_stream, 4-64
id_attribute, 4-65
imppc, 4-65
int, 4-65
int_cur, 4-69
intcoed, 4-66
intcurve, 4-66
INTCURVE (1) class, 4-67
intcurve (2) class, 4-67
intedge, 4-70
integer_attrib, 4-71
intgraph, 4-71
intvert, 4-71
link, 4-72
loop, 4-72
lop_coedge, 4-73
lop_curve_ext_att, 4-73
lop_edge, 4-73
lop_edge_att, 4-73
lop_loop_attr, 4-74
lop_surface_ext_att, 4-74
lop_vert_att, 4-75
lop_vertex, 4-74
lump, 4-75
meshsurf, 4-75
ms, 4-76
msh_sur, 4-77
name_attrib, 4-77
named_attribute, 4-78
named_int_attribute, 4-80
named_logical_attribute, 4-78
named_pos_attribute, 4-78
named_real_attribute, 4-79
named_string_attribute, 4-79
named_vec_attribute, 4-79
NODE, 4-80
node, 4-80
norender_attribute, 4-81
offintcur, 4-81
offrel, 4-82
offsetintcur, 4-82
offsetvbsur, 4-83
offsur, 4-84
p1, 4-85
p2, 4-85
parasil, 4-85
parcur, 4-86
pcurcur, 4-87
pcurve, 4-87
PCURVE (1) class, 4-88
pcurve (2) class, 4-88
pcurve type, 4-90
perspsil, 4-91
phl, 4-91
phl_camera, 4-91
phl_edge, 4-92
phl_segment, 4-92
phl_vw, 4-93
pid_name, 4-94
pipesur, 4-94
plane, 4-95
PLANE (1) class, 4-96
plane (2) class, 4-96
point, 4-97
pointer_attrib, 4-98
position_attrib, 4-98
projcur, 4-98
pt_cstrn, 4-99
pt_press, 4-100
ptlist, 4-100
rbase, 4-100
rbblnsur, 4-101
real_attrib, 4-101
ref, 4-102
ref_vt, 4-103

render, 4-101
rgb_color, 4-102
rh_background, 4-103
rh_entity, 4-103
rh_env_map, 4-104
rh_foreground, 4-104
rh_light, 4-104
rh_material, 4-105
rh_texture_space, 4-106
rotsur, 4-106
round, 4-106
sfcvfreeblndsur, 4-107
sg, 4-108
shell, 4-108
skinsur, 4-109
skinsur2, 4-111
sphere, 4-112
SPHERE (1) class, 4-112
sphere (2) class, 4-113
spl_sur, 4-117
spline, 4-114
SPLINE (1) class, 4-114
spline (2) class, 4-115
split, 4-117
spring, 4-117
spring_load, 4-118
spring_set_load, 4-118
srfsrfblndsur, 4-119
st, 4-119
sti_elat_attr, 4-119
sti_nor_attr, 4-120
sti_prof_attr, 4-120
sti_psplit_attr, 4-120
sti_rel_attr, 4-120
sti_sect_attr, 4-121
sti_vlat_attr, 4-121
straight, 4-121
STRAIGHT (1) class, 4-122
straight (2) class, 4-122
string_attrib, 4-123
stripc, 4-123
STRIPC (1) class, 4-124
stripc (2) class, 4-124
subsetintcur, 4-125
subshell, 4-126
subsur, 4-126
subtype format, 4-1
subtype_object, 4-128
sumsur, 4-127
supercell, 4-128
surface, 4-129
surface (2) class, 4-129
surface type, 4-129
surfcur, 4-130
surfintcur, 4-131
sweepsur, 4-132
sys, 4-133
t3, 4-133
tan_xedge, 4-134
tapersil, 4-134
tapersur, 4-135
text_ent, 4-135
torus, 4-136
TORUS (1) class, 4-136
torus (2) class, 4-136
transform, 4-139
tri3sur, 4-140
tsl, 4-140
tubesur, 4-140
undefc, 4-141
UNDEFC (1) class, 4-141
undefc (2) class, 4-142
units, 4-143
unknown, 4-143
var_cross_section, 4-144
var_rad_fixed_width, 4-145
var_rad_functional, 4-145
var_rad_rot_ellipse, 4-146
var_rad_two_ends, 4-146
var_radius, 4-145
varblendsplsur, 4-143
vblend, 4-146
vector_attrib, 4-147
vertedge, 4-147
vertex, 4-148
vertex_template, 4-149
vertexblendsur, 4-148
wcs, 4-149
wire, 4-149
xedge, 4-150
xvert, 4-150

xverted, 4-151

sec, sec_form_ents, 5-9

sec_form_ents, **5-9**

sect, sti_sect_attr, 4-121

section
cross_section_forms, 5-6
var_cross_section, 4-144

segment, phl_segment, 4-92

sequence, 3-9, 3-10
optional sequence number, 3-4

serif, *1-2*

set, spring_set_load, 4-118

sf, underlying_sf_type, 5-11

sfcvfreeblndsur, **4-107**

sfpointer, 3-10

sg, **4-108**

SHARABLE_VERSION, 7-3

SHELL, 4-108

shell, **4-108–4-109**

short, 3-8, 3-9

single, 4-60

skinsur, **4-109–4-111**

skinsur2, **4-111–4-112**

slist, attrib_fhl_slist, 4-9

solid model, 1-4

SORTCOED_VERSIO, 7-3

space, rh_texture_space, 4-106

sphere, **4-112**, 4-130

SPHERE (1) class, **4-112–4-113**

sphere (2) class, **4-113–4-114**

spl
blend_spl_sur, 4-16
spl_sur, 4-117

spl_sur, **4-117**

spline, **4-114**, 4-130

SPLINE (1) class, **4-114–4-115**

spline (2) class, **4-115–4-117**

SPLINE_VERSION, 7-2

split, **4-117**
split_action, 5-9

split_action, **5-9**

spring, **4-117–4-118**
spring_load, 4-118
spring_set_load, 4-118

spring curve, 4-21

spring_load, **4-118**

spring_set_load, **4-118–4-119**

srfsrfblndsur, **4-119**

st, **4-119**

state, delta_state, 4-46

sti
sti_elat_attr, 4-119
sti_nor_attr, 4-120
sti_prof_attr, 4-120
sti_psplit_attr, 4-120
sti_rel_attr, 4-120
sti_sect_attr, 4-121
sti_vlat_attr, 4-121

sti_elat_attr, **4-119–4-120**

sti_nor_attr, **4-120**

sti_prof_attr, **4-120**

sti_psplit_attr, **4-120**

sti_rel_attr, **4-120–4-121**

sti_sect_attr, **4-121**

sti_vlat_attr, **4-121**

straight, 4-45, **4-121–4-122**

STRAIGHT (1) class, **4-122**

straight (2) class, **4-122–4-123**

stream, history_stream, 4-64

string, 3-8, 3-9
named_string_attribute, 4-79

string_attrib, 4-123

string_attrib, **4-123**

stripc, **4-123**, 4-130

STRIPC (1) class, **4-124**

stripc (2) class, **4-124–4-125**

structure of entity records, **3-4–3-7**
- entity data, 3-7
- entity encapsulation in a record, 3-5
- optional sequence number, 3-4
- save identifier, 3-6
- terminator, 3-7

structure of save file, **3-1–3-4**
- end marker, 3-4
- entity record, 3-3
- header, 3-2
- marker for begin history data, 3-3
- marker for end history data, 3-4

subident, 3-8, 3-9

subsetintcur, **4-125–4-126**

subshell, **4-126**

subsur, **4-126–4-127**

subtype, subtype_object, 4-128

subtype format, **4-1–4-2**

subtype_end, 3-9, 3-10

subtype_object, **4-128**

subtype_start, 3-9

subtypes and references, **3-10**

subtypes and references example, **6-5–6-8**

sumsur, **4-127–4-128**

supercell, **4-128**

support
- bl_support, 4-14
- blend_support, 4-19

sur
- blend_spl_sur, 4-16
- msh_sur, 4-77
- spl_sur, 4-117

surf, AF_SURF_MODE, 5-2

surface, **4-129**
- bs3_surface_def, 4-26
- lop_surface_ext_att, 4-74

surface (2) class, **4-129**

surface model, 1-4

surface type, **4-129–4-130**

SURFACE_VERSION, 7-2

surfcur, **4-130–4-131**

surfintcur, **4-131–4-132**

sweepsur, **4-132–4-133**

sys, **4-133**

T

t3, **4-133–4-134**

Tag, 3-9

tan, tan_xedge, 4-134

tan_xedge, **4-134**

taned, bl_taned, 4-22

tapersil, **4-134**

tapersur, **4-135**

template
- (Save–Format–Template), 4-2
- vertex_template, 4-149

templates, *1-3*
- reference templates, 1-3

terminator, **3-7**, 3-9, 3-10

text
- primitives for text file format (.sat), 3-8
- text_ent, 4-135

text_ent, **4-135**

texture, rh_texture_space, 4-106

token, token_name, 5-9

token_name, **5-9–5-10**

toolkit, 3d toolkit, 1-9

toolkit, 3D, 1-6

topology, **1-5**

torus, 4-130, **4-136**

TORUS (1) class, **4-136**

torus (2) class, **4-136–4-139**

trans, trans_action, 5-10

trans_action, **5-10**

transform, 3-8, **4-139–4-140**

transition, transition_ents, 5-10

transition_ents, **5-10–5-11**

TRI3_ELEM, 4-133

tri3sur, **4-140**

triang, AF_TRIANG_MODE, 5-2

True, 3-8

tsl, **4-140**

tubesur, **4-140–4-141**

two, var_rad_two_ends, 4-146

TWOSIDE_VERSION, 7-3

type
- curve type, 4-45
- CURVE_EXTENSION_TYPE, 5-6
- pcurve type, 4-90
- surface type, 4-129
- underlying_sf_type, 5-11

typefaces, fonts and typefaces, 1-2

types
- primitive compound types, 3-7
- save file types, 2-1

typewriter, *1-2*

typewriter bold, *1-2*

U

u, 4-27

undefc, 4-45, **4-141**

UNDEFC (1) class, **4-141–4-142**

undefc (2) class, **4-142**

underlying, underlying_sf_type, 5-11

underlying_sf_type, **5-11**

understanding the save file, **2-1–2-2**
- save file types, 2-1
- using the save file for other purposes, 2-1

units, **4-143**

UNITS_SCALE, 4-143

unknown, 4-27, **4-143**

using the save file for other purposes, **2-1**

V

v, 4-27

var
- ATTRIB_ADV_VAR_BLEND, 4-6
- attrib_var_blend, 4-10
- var_cross_section, 4-144
- var_rad_fixed_width, 4-145
- var_rad_functional, 4-145
- var_rad_rot_ellipse, 4-146
- var_rad_two_ends, 4-146
- var_radius, 4-145

var_cross_section, **4-144**

var_rad_fixed_width, **4-145**, 4-145

var_rad_functional, **4-145**, 4-145

var_rad_rot_ellipse, **4-146**, 4-146

var_rad_two_ends, **4-146**, 4-146

var_radius, **4-145–4-146**

varblendsplsur, **4-143–4-144**

vblend, **4-146–4-147**

vec, named_vec_attribute, 4-79

vector, 3-8, 3-9
- vector_attrib, 4-147

vector_attrib, **4-147**

vert, lop_vert_att, 4-75

vertedge, **4-147**

vertex, **4-148**
  lop_vertex, 4-74
  vertex_template, 4-149

vertex_template, **4-149**

vertexblendsur, **4-148–4-149**

vlat, sti_vlat_attr, 4-121

vol, cface_vol_att, 4-31

vr, bl_vr, 4-22

vt, ref_vt, 4-103

vw, phl_vw, 4-93

W

wcs, **4-149**

width, var_rad_fixed_width, 4-145

wire, **4-149–4-150**

WIREBOOL_VERSION, 7-4

wireframe model, 1-4

X

xedge, **4-150**
  tan_xedge, 4-134

xvert, **4-150–4-151**

xverted, **4-151**